

SYNDROMES AND PERIODONTAL DISEASE- AN INSIGHT!

DR. GRISHMI NISWADE

Lecturer, Department of Periodontology, Swargiya Dadasaheb Kalmegh Smruti Dental College and Hospital, Nagpur

ABSTRACT

Periodontal disease is multifactorial in nature but is primarily caused by the bacteria present in dental plaque. Periodontal disease is often seen as oral manifestation of certain syndromes and genetic disorders either as a result of the syndrome or as an exacerbation of an already existing condition. These syndromes result in alterations in the immune system or the structure of periodontal tissues which further enhances the susceptibility of the individual to gingival inflammation, clinical attachment loss and bone resorption. Non-surgical, antimicrobial and surgical periodontal therapy remains the treatment of choice in such patients but to what extent these treatment modalities will be effective in saving the natural teeth is a topic of debate. The purpose of this article is to review the various syndromes associated gingival and periodontal diseases so that it becomes uncomplicated for the clinician to make a differential and final diagnosis with proper management of the case.

KEYWORDS: Syndrome, Periodontal, Bone Loss, Disease, Genetic

Received: Jun 13, 2021; **Accepted:** Jul 03, 2021; **Published:** Jul 13, 2021; **Paper Id.:** IJMPSDEC20215

INTRODUCTION

A syndrome is a concurrence of a set of signs and symptoms related to a particular disease or disorder.¹ Often the cause of a syndrome is not known, when it becomes associated with a cause it becomes a disease. In this context, periodontal disease is often considered a syndrome because of its complex etiology.² Periodontitis is considered to be a group of pathological conditions leading to attachment loss and bone loss. Also, they are a group of polygenic and polymicrobial infections, the clinical expression of which can be altered by environmental factors, systemic diseases and other factors.³ Aggressive periodontitis was referred to as Gottlieb syndrome by some researchers due to the typical incisor and molar involvement.⁴ There are certain syndromes associated with periodontal findings that are systemic and genetic in nature. Certain syndromes have a strong association with periodontal disease, however, in other syndromes presence of periodontal signs and symptoms can be a mere coincidence. The literature however lacks comprehensive and long term studies on this subject.

Common Syndromes Associated with Periodontal Disease

Down Syndrome

The literature reports 96% of down's syndrome patients suffer from periodontitis.⁵ The general findings include congenital cardiac anomalies, mongoloid slanting of eyes, flat face and patients prone to acute necrotizing lesions. The periodontal findings include early-onset periodontitis with premature loss of mandibular anterior teeth.⁶

Papillon–Lefevre Syndrome

The general findings include hyperkeratosis of palms and soles, knees, dorsum of fingers and toes. The male-to-female ratio of incidence is equal. The onset is between the 1st and 5th years of life. The periodontal findings include severe alveolar bone loss, exfoliation of both deciduous and permanent teeth.⁷

Metabolic Syndrome

It is characterised by increased central obesity, increased triglyceride levels with reduced concentration of high density lipoprotein cholesterol, abnormal blood pressure and blood sugar levels. There are many reports in the literature suggesting an increased prevalence of periodontal disease in patients suffering from metabolic syndrome.⁸

Haim–Munk Syndrome

It is similar to Papillon–Lefevre syndrome. Skin manifestations are more severe and periodontal disease milder. There are callous patches of skin on the palms and the soles. Periodontal findings include progressive periodontal disease.⁹

Ehlers–Danlos Syndrome

The syndrome involves a defect in collagen synthesis. The general findings include hypermobility of joints and marked elasticity of skin. The periodontal findings include gingival bleeding, marked periodontal disease and generalized membranous gingival enlargement.¹⁰

Lazy Leukocyte Syndrome

It is characterised by severe neutropenia and the affected individuals are more prone to opportunistic infections due to the immunocompromised state. Periodontitis is one of the oral manifestations of this syndrome.¹¹

Leukocyte Adhesion Deficiency Syndrome

This syndrome is characterised by defects in neutrophil chemotaxis and phagocytosis. This leads to enhanced susceptibility to bacterial infections. Aggressive periodontitis is seen in these patients involving both the deciduous and permanent dentition.¹²

Chediak–Higashi Syndrome

The findings include the involvement of cell organelles of cells like platelets, melanocytes and phagocytes. Such individuals suffer from aggressive periodontitis with rapid periodontal breakdown.¹³

Kindler Syndrome

The general findings include numerous genodermal disorders, blistering of skin following mild trauma, poikiloderma, thin wrinkled skin devoid of surface markings. Periodontal findings include tooth mobility, spontaneous gingival bleeding, earlier accelerated attachment loss and desquamative lesions of gingiva. Kindler syndrome has been proposed as a medically predisposing condition for destructive periodontal disease.¹⁴

Sjogren's Syndrome

General findings include keratoconjunctivitis sicca, xerostomia and rheumatoid arthritis. There is a higher risk for periodontal breakdown of teeth in patients with Sjogren's syndrome.¹⁵

Marfan's Syndrome

It is caused by the impaired formation of fibrillin I. Patients often have a tall stature, aortic/mitral valve prolapse and ectopia lentis. The oral findings include severe periodontitis.¹⁶

Hyperimmunoglobulin E Syndrome

It is a syndrome involving multiple systems including the skeleton, connective tissue and immune system. Aggressive periodontitis and profuse gingival bleeding are oral clinical features.¹⁷

Cowden's Syndrome

The general findings include papular lesions around the nose, lips, ears, thyroid adenoma, breast cancer, and gastrointestinal polyps. It involves a mutation in the PTEN gene on chromosome arm 10q. The periodontal findings include multiple papules on the gingiva giving an appearance of a cobblestone pattern, gross dental caries and Periodontitis.¹⁸

Sturge-Weber Syndrome

The general findings include brain calcifications, ocular disorders, hemiplegia, epilepsy and port wine stains confined to skin area supplied by the trigeminal nerve. The gingiva may show mild vascular hyperplasia or massive hemangiomatous proliferation limited to one side. Gingival lesions may resemble pyogenic granuloma.¹⁹

Periodontal Management

Patients with syndromes usually require psychological counselling for dental treatment. Complete explanation of the treatment options and the procedure is essential. Written consent should be obtained from the parents and medical consent from the general physician. Chair positioning has to be proper as certain syndromic patients are prone to spinal cord injuries.⁵ Initial cause related therapy should be completed first that includes patient education, motivation and oral hygiene instructions, complete supragingival and subgingival scaling and root planing, antimicrobial therapy if required and removal of any plaque retentive factors. If the candidate is suitable for surgical therapy, laser or electrocautery can be used to minimize bleeding and post operative complications. Post-operative antibiotics, analgesics and oral hygiene instructions are given. Some patients suffering from syndromes lack the manual dexterity to perform oral hygiene measures for themselves. In such cases, oral hygiene instructions are given to family members or caretakers. Even after thorough periodontal treatment, periodontal destruction might continue in some patients. Implants can be considered in such cases however, due to the lack of longitudinal studies in syndromic patients the survival rate of implants is a topic of debate.

DISCUSSION

A case report of three cases of Sturge Weber syndrome having periodontal manifestations in the form of gingival enlargement has been reported. The author treated the cases with thorough scaling and root planing followed by gingivectomy by scalpel and laser.¹⁹ A case report of two siblings suffering from Papillon Lefevre syndrome presented skin lesions and periodontal involvement with alveolar bone loss around multiple teeth. The patients were treated with non-surgical periodontal therapy and extraction of teeth with a hopeless prognosis followed by maxillary and mandibular dentures.²⁰ There were similar case reports with the same treatment protocol.^{21,22} A case report of a 12 year old girl with Chediak Higashi syndrome received initial periodontal treatment which resulted in an improvement in the clinical status and a stable periodontal status for a period of 9 years.¹³ There are studies in the literature reporting an association between metabolic syndrome and periodontal disease.^{23,24} A systematic review on periodontal disease in Down's syndrome patients shows a higher prevalence of periodontal disease in DS patients.²⁵ Case reports on Leukocyte adhesion deficiency

syndrome-I also show early onset of periodontal disease which is not responsive to conventional non-surgical periodontal therapy.²⁶

CONCLUSIONS

The association of periodontal disease with various syndromes questions the microbial etiology of dental plaque and the presence of local factors to be essential for the development of gingival inflammation and points towards a genetic basis of the disease. Poor oral hygiene with an altered structure of connective tissue in these syndromes can increase the severity of gingival and periodontal signs and symptoms. This occurrence of periodontitis in association with a syndrome is common in young adults that also suffer from dermal, ocular, psychological, neurological, skeletal and immune abnormalities. The contribution of syndromes to periodontal disease is minimal. However, knowledge and awareness of a periodontist regarding this association can lead to early diagnosis of such individuals leading to a reduction in morbidity and an improvement in the general health and quality of life of patients.

REFERENCES

1. Haritha A, Jayakumar A. Syndromes as they relate to periodontal disease. *Periodontol 2000*. 2011 Jun;56(1):65-86. doi: 10.1111/j.1600-0757.2010.00363.x. PMID: 21501237.
2. Van der Velden U. Purpose and problems of periodontal disease classification. *Periodontol 2000* 2005; 39: 13–28.
3. Armitage GC. Classifying periodontal disease – a longstanding dilemma. *Periodontol 2000* 2002; 30: 9–23.
4. Fourel J. Periodontosis, juvenile periodontitis or Gottlieb syndrome? Report of 4 cases. *J Periodontol* 1974; 45: 234–237.
5. Frydman A, Nowzari H. Down syndrome-associated periodontitis: a critical review of the literature. *Compend Contin Educ Dent*. 2012 May;33(5):356-61. PMID: 22616218.
6. Klaus H, Rateitschak EM, Wolf HF. Periodontology (1). Langdon Down syndrome: mongolism – trisomy 21. *Schweiz Monatsschr Zahnmed* 1987; 97: 1145–1150.
7. Kothiwale SV, Mathur S. Partial expression of Papillon–Lefèvre syndrome. *Indian J Dent Res* 2008; 19: 264–266.
8. Lamster IB, Pagan M. Periodontal disease and the metabolic syndrome. *Int Dent J*. 2017 Apr;67(2):67-77. doi: 10.1111/idj.12264. Epub 2016 Nov 9. PMID: 27861820.
9. Neville B, Dam DD, Allen CM, Bouquet JE. Periodontal diseases. In: *Oral & Maxillofacial Pathology*, 2nd edn. Philadelphia, PA: Saunders, 2004: 157.
10. Badauy CM, Gomes SS, Sant_Ana Filho M, Chies JA. Ehlers–Danlos syndrome (EDS) type IV: review of the literature. *Clin Oral Invest* 2007; 11: 183–187.
11. Clark RA, Page RC, Wilde G. Defective neutrophil chemotaxis in juvenile periodontitis. *Infect Immun* 1977; 18: 694–700.
12. Jothilakshmi K, Priya S, Matthai J. Leucocyte adhesion defect-1. *Indian Pediatr* 2008; 45: 507–509.
13. Bailleul-Forestier I, Monod-Broca J, Benkerrou M, Mora F, Picard B. Generalized periodontitis associated with Che’diak–Higashi syndrome. *J Periodontol* 2008; 79: 1263–1270.
14. Wiebe CB, Petricca G, Ha’kkinen L, Jiang G, Wu C, Larjava HS. Kindler syndrome and periodontal disease: review of the literature and a 12-year follow-up case. *J Periodontol* 2008; 79: 961–966

15. Kuru B, McCullough MJ, Yilmaz S, Porter SR. Clinical and microbiological studies of periodontal disease in Sjogren's syndrome patients. *J Clin Periodontol* 2002; 29: 92–102.
16. Suda N, Shiga M, Ganburged G, Moriyama K. Marfan syndrome and its disorder in periodontal tissues. *J Exp Zool B Mol Dev Evol* 2009; 312B: 503–509.
17. Tsang P, Derkson G, Priddy R, Junker AK, Slots J, Larjava H. Severe periodontitis in a 5-year-old girl with hyperimmunoglobulin E syndrome. *Pediatr Dent* 2005; 27: 68–73.
18. Laskaris G, Scully C, Tatakis DN. Genetic disorders. In: *Periodontal Manifestations of Local and Systemic Diseases*. Berlin: Springer, 2003: 123, 134–135.
19. Bhansali RS, Yeltiwar RK, Agrawal A. Periodontal management of gingival enlargement associated with Sturge–Weber syndrome. *J Periodontol* 2008; 79: 549–555.
20. Fageeh, Hytham N. “Papillon-Lefèvre Syndrome: A Rare Case Report of Two Brothers and Review of the Literature.” *International Journal of Clinical Pediatric Dentistry* 11 (2018): 352 - 355.
21. Khan FY, Jan SM, Mushtaq M. Papillon-Lefèvre syndrome: Case report and review of the literature. *J Indian Soc Periodontol*. 2012;16(2):261-265. doi:10.4103/0972-124X.99273
22. Sharma A, Kaur G, Sharma A. Papillon-Lefevre syndrome: A case report of 2 affected siblings. *J Indian Soc Periodontol* 2013;17:373-7.
23. Musskopf ML, Daudt LD, Weidlich P, Gerchman F, Gross JL, Oppermann RV. Metabolic syndrome as a risk indicator for periodontal disease and tooth loss. *Clin Oral Investig*. 2017 Mar;21(2):675-683. doi: 10.1007/s00784-016-1935-8. Epub 2016 Sep 7. PMID: 27604232.
24. Andrianakaja OM, Sreenivasa S, Dunford R, DeNardin E. Association between metabolic syndrome and periodontal disease. *Aust Dent J*. 2010 Sep;55(3):252-9. doi: 10.1111/j.1834-7819.2010.01231.x. PMID: 20887511.
25. Ferreira R, Michel RC, Greggi SL, Resende ML, Sant'Ana AC, Damante CA, Zangrando MS. Prevention and Periodontal Treatment in Down Syndrome Patients: A Systematic Review. *PLoS One*. 2016 Jun 29;11(6):e0158339. doi: 10.1371/journal.pone.0158339. PMID: 27355338; PMCID: PMC4927059.
26. Dababneh R, Al-Wahadneh AM, Hamadneh S, Khouri A, Bissada NF. Periodontal manifestation of leukocyte adhesion deficiency type I. *J Periodontol*. 2008 Apr;79(4):764-8. doi: 10.1902/jop.2008.070323. PMID: 18380573.
27. Asit Chakrabarti & Pankaj Kumar, “Incidences of Foot Diseases of Cattle in Bihar, India”, *International Journal of Agricultural Science and Research (IJASR)* ,Vol. 6, Issue 1, pp, 267-272
28. Aditishrikrishnadhage & Savitha A. N, “Salivary Cystatin C- A Dynamic Biomarker of Periodontal Disease”, *International Journal of Medicine and Pharmaceutical Sciences (IJMPS)* , Vol. 4, Issue 2, pp, 57-64
29. Dedy Pratama, Hendro Sudjono Yuwono, Rudi Supriyadi & Herry Herman, “The Effects of Curcumin and Acetylsalicylic Acid to Arteriovenous Fistula Maturation in End-Stage Renal Disease Patients with Diabetes Mellitus”, *International Journal of General Medicine and Pharmacy (IJGMP)* , Vol. 9, Issue 4,pp; 5-12
30. Shilpa Jayaprakash & Kishan Aralapuram, “Clinical and Angiographic Profile of Patients with Symptomatic Peripheral Arterial Disease”, *International Journal of General Medicine and Pharmacy (IJGMP)* , Vol. 8, Issue 5, pp; 29–36

